





Model CZL 650 (Table Top cum mini platform Greenlable) is strain gauge based LoadCell constructed from Aluminum Alloy for high Accuracy. It is mainly used in check weighing. It is very economical cell.

## **Features**

- Single Point Off-center Load Measuring Capability
- Supports the Platform Size of 400 x 400 mm.
- Economical and Low Profile Cell
- Aluminium-alloy, Colorless anodized
- Glue sealed


## **Application**

- Bench, Counting & Postal Scales
- · Check Weighers
- (Recommended platform size : 400x400mm)

## Standard Capacities (Kg.)

100, 150, 200





## Standard Specification :

Precision

Nominal Output  $2.0 \pm 0.1 \text{ mV/V}$  (mili Volt per Volt)

C2 / C3 (0.017% & 0.02% FSO comprehensive

error)

Excitation Voltage 9 VDC - Maximum 12 VDC

Platter Size 400mm x 400mm

Safe Load 120% of Rated Capacity
Ultimate Load 150% of Rated Capacity

Non Linearity  $<\pm 0.03\%$  of FSO (Full Scale Output)

Creep (30 minutes)  $<\pm 0.025\%$  of FSO

Zero Balance  $<\pm 1\%$  of FSO

Input Resistance  $400\pm 10$  ohms

Output Resistance  $350\pm 5$  ohms

Insulation resistance Above 5000 Mega ohms

Temp. Compensation  $-10^{\circ}\text{C to } +40^{\circ}\text{C}$ Temp. Effect on zero & span  $< 0.03\% \text{ FSO}/10^{\circ}\text{C}$ 

Material Alluminium alloy, Colourless anodized

Cable 4mm, 3 mts